



## OPTIMO LAUNDRY POWDER (FRONT LOADER)

Revision: 2018-02-02

Version: 01.0

### SECTION 1: Identification of the substance/mixture and supplier

#### 1.1 Product identifier

**Product name:** OPTIMO LAUNDRY POWDER (FRONT LOADER)

#### 1.2 Recommended use and restrictions on use

**Identified uses:**

Laundry powder

**Restrictions of use:**

Uses other than those identified are not recommended

#### 1.3 Details of the supplier

Diversey Australia Pty. Limited  
29 Chifley St, Smithfield, NSW, 2164, Australia  
Telephone: 1800 647 779 (toll free)  
Fax: (02) 9725 5767  
Email: aucustserv@diversey.com  
Website: www.diversey.com/

#### 1.4 Emergency telephone number

Call 1800 033 111 (24hrs)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Serious eye damage, Category 1  
Skin irritation, Category 2

#### 2.2 Label elements



**Signal word:** Danger

**Hazard statements:**

H315 - Causes skin irritation.  
H318 - Causes serious eye damage.

**Prevention statement(s):**

P233 - Keep container tightly closed.  
P264 - Wash face, hands and any exposed skin thoroughly after handling.  
P280 - Wear protective gloves, protective clothing and eye or face protection.

**Response statement(s):**

P332 + P313 - If skin irritation occurs: Get medical advice or attention.  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTRE, doctor or physician.  
P321 - Specific treatment (see supplemental first aid instructions on this label).  
P362 - Take off contaminated clothing.

**Disposal statement(s):**

P501 - Dispose of unused content as chemical waste.

#### 2.3 Other hazards

## OPTIMO LAUNDRY POWDER (FRONT LOADER)

**SECTION 3: Composition/information on ingredients****3.1 Substances / Mixtures**

Ingredient(s)	CAS number	EC number	Weight percent
sodium carbonate	497-19-8	207-838-8	10-30
sodium alkylbenzenesulphonate	90194-45-9	290-656-6	3-10
disodium trisilicate	1344-09-8	215-687-4	3-10
Alcohols, C12-15, ethoxylated	68131-39-5	Polymer*	1-3
subtilisin	9014-01-1	232-752-2	0.1-1

Non-hazardous ingredients are the remainder and add up to 100%.

\* Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

For the full text of the H and AUH phrases mentioned in this Section, see Section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

<b>Inhalation:</b>	Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.
<b>Skin contact:</b>	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
<b>Eye contact:</b>	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
<b>Ingestion:</b>	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
<b>Self-protection of first aider:</b>	Consider personal protective equipment as indicated in subsection 8.2.
<b>First aid facilities:</b>	Eyewash facilities should be considered in a workplace where necessary.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Inhalation:</b>	No known effects or symptoms in normal use.
<b>Skin contact:</b>	Causes irritation.
<b>Eye contact:</b>	Causes severe or permanent damage.
<b>Ingestion:</b>	No known effects or symptoms in normal use.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**Poison Information Center:** Call 13 11 26 (Australia Wide).

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**5.4 Hazchem code**

*None allocated*

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear suitable protective clothing, gloves and eye/face protection.

**6.2 Environmental precautions**

Do not allow to enter drainage system, surface or ground water.

**6.3 Methods and material for containment and cleaning up**

Collect mechanically.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## OPTIMO LAUNDRY POWDER (FRONT LOADER)

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with eyes. Use only with adequate ventilation.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Keep only in original packaging. Store in a closed container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

**8.2 Exposure controls**

*The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.*

*If available, please refer to the product information sheet for application and handling instructions.*

*Normal use conditions are assumed for this section.*

*Recommended safety measures for handling the undiluted product:*

**Appropriate engineering controls:** The product is intended to be used in closed systems.  
**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**Personal protective equipment****Eye / face protection:**

Safety glasses or goggles (EN 166).

**Hand protection:**

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time:  $\geq$  480 min

Material thickness:  $\geq$  0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time:  $\geq$  30 min Material thickness:  $\geq$  0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:**

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN ISO 13982-1).

**Respiratory protection:**

No special requirements under normal use conditions.

**Environmental exposure controls:**

No special requirements under normal use conditions.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

**Physical State:** Solid

**Appearance:** Powder

**Colour:** White

**Odour:** Product specific

**Odour threshold:** Not applicable

**pH:** Not applicable. (neat)

**Dilution pH:**  $\leq$  11 (1%)

**Melting point/freezing point (°C):** Not determined

**Initial boiling point and boiling range (°C):** Not determined

**Method / remark**

Not relevant to classification of this product

## OPTIMO LAUNDRY POWDER (FRONT LOADER)

**Flash point (°C):** Not applicable.  
**Sustained combustion:** Not applicable.  
 ( UN Manual of Tests and Criteria, section 32, L.2 )  
**Evaporation rate:** Not determined  
**Flammability (solid, gas):** Not determined  
**Upper/lower flammability limit (%):** Not determined  
**Vapour pressure:** Not determined  
**Vapour density:** Not determined  
**Relative density:** ≈ 0.5 (20 °C)  
**Solubility in / Miscibility with Water:** Soluble  
**Partition coefficient: n-octanol/water** No information available.  
 Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3  
**Autoignition temperature:** Not determined  
**Decomposition temperature:** Not applicable.  
**Viscosity:** Not determined  
**Explosive properties:** Not explosive.  
**Oxidising properties:** Not oxidising

**9.2 Other information****Surface tension (N/m):** Not determined**Corrosion to metals:** Not determined

Not applicable to solids or gases

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

Reacts with acids.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Mixture data:.

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): 5000

Substance data, where relevant and available, are listed below:.

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium carbonate	LD <sub>50</sub>	2800	Rat	Method not given	
sodium alkylbenzenesulphonate		No data available			
disodium trisilicate	LD <sub>50</sub>	3400	Rat	Method not given	
Alcohols, C12-15, ethoxylated		No data available			
subtilisin	LD <sub>50</sub>	1800	Rat	OECD 401 (EU B.1)	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium carbonate	LD <sub>50</sub>	> 2000	Rabbit	Method not given	
sodium alkylbenzenesulphonate		No data available			
disodium trisilicate	LD <sub>50</sub>	> 5000	Rat	Method not given	

## OPTIMO LAUNDRY POWDER (FRONT LOADER)

Alcohols, C12-15, ethoxylated		No data available			
subtilisin		No data available			

## Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC <sub>50</sub>	2.3 (dust)	Rat	OECD 403 (EU B.2)	2
sodium alkylbenzenesulphonate		No data available			
disodium trisilicate	LC <sub>50</sub>	> 2.06	Rat	Method not given	
Alcohols, C12-15, ethoxylated		No data available			
subtilisin		-		Weight of evidence	

## Irritation and corrosivity

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Not irritant	Rabbit	Method not given	
sodium alkylbenzenesulphonate	No data available			
disodium trisilicate	Irritant		Method not given	
Alcohols, C12-15, ethoxylated	No data available			
subtilisin	Mild irritant	Rabbit	OECD 404 (EU B.4)	

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Irritant	Rabbit	Method not given	
sodium alkylbenzenesulphonate	No data available			
disodium trisilicate	Irritant		Method not given	
Alcohols, C12-15, ethoxylated	No data available			
subtilisin	Irritant	Rabbit	OECD 405 (EU B.5)	

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium alkylbenzenesulphonate	No data available			
disodium trisilicate	Irritating to respiratory tract		Method not given	
Alcohols, C12-15, ethoxylated	No data available			
subtilisin	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium carbonate	Not sensitising		Method not given	
sodium alkylbenzenesulphonate	No data available			
disodium trisilicate	Not sensitising		Method not given	
Alcohols, C12-15, ethoxylated	No data available			
subtilisin	No data available			

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium alkylbenzenesulphonate	No data available			
disodium trisilicate	No data available			
Alcohols, C12-15, ethoxylated	No data available			
subtilisin	Sensitising		Weight of evidence	

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium carbonate	No data available		No data available	
sodium alkylbenzenesulphonate	No data available		No data available	
disodium trisilicate	No evidence for mutagenicity, negative test results		No data available	
Alcohols, C12-15, ethoxylated	No data available		No data available	
subtilisin	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD	No data available	

## OPTIMO LAUNDRY POWDER (FRONT LOADER)

		473 OECD 476 (Chinese Hamster Ovary)	
--	--	---	--

## Carcinogenicity

Ingredient(s)	Effect
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
sodium alkylbenzenesulphonate	No data available
disodium trisilicate	No evidence for carcinogenicity, negative test results
Alcohols, C12-15, ethoxylated	No data available
subtilisin	No data available

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium carbonate			No data available				
sodium alkylbenzenesulphonate			No data available				
disodium trisilicate			No data available				No evidence for reproductive toxicity
Alcohols, C12-15, ethoxylated			No data available				
subtilisin			No data available				

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
disodium trisilicate	NOAEL	> 159	Rat	Method not given		
Alcohols, C12-15, ethoxylated		No data available				
subtilisin		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
disodium trisilicate		No data available				
Alcohols, C12-15, ethoxylated		No data available				
subtilisin		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
disodium trisilicate		No data available				
Alcohols, C12-15, ethoxylated		No data available				
subtilisin		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium carbonate			No data available					
sodium alkylbenzenesulphonate			No data available					
disodium trisilicate			No data					

## OPTIMO LAUNDRY POWDER (FRONT LOADER)

			available					
Alcohols, C12-15, ethoxylated			No data available					
subtilisin			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
sodium alkylbenzenesulphonate	No data available
disodium trisilicate	No data available
Alcohols, C12-15, ethoxylated	No data available
subtilisin	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
sodium alkylbenzenesulphonate	No data available
disodium trisilicate	No data available
Alcohols, C12-15, ethoxylated	No data available
subtilisin	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## SECTION 12: Ecological information

## 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC <sub>50</sub>	300	<i>Lepomis macrochirus</i>	Method not given	96
sodium alkylbenzenesulphonate		No data available			
disodium trisilicate	LC <sub>50</sub>	260 - 310	<i>Oncorhynchus mykiss</i>	Method not given	96
Alcohols, C12-15, ethoxylated		No data available			
subtilisin	LC <sub>50</sub>	8.2	<i>Fish</i>	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC <sub>50</sub>	265	<i>Daphnia magna Straus</i>	Method not given	96
sodium alkylbenzenesulphonate		No data available			
disodium trisilicate	EC <sub>50</sub>	1700	<i>Daphnia magna Straus</i>	Method not given	48
Alcohols, C12-15, ethoxylated		No data available			
subtilisin	EC <sub>50</sub>	0.586	<i>Daphnia</i>	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate		No data available			-
sodium alkylbenzenesulphonate		No data available			
disodium trisilicate	EC <sub>50</sub>	207	<i>Desmodesmus subspicatus</i>	Method not given	72
Alcohols, C12-15, ethoxylated		No data available			
subtilisin	E <sub>r</sub> C <sub>50</sub>	0.830	<i>Not specified</i>	OECD 201 (EU C.3)	72

## OPTIMO LAUNDRY POWDER (FRONT LOADER)

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium carbonate		No data available			-
sodium alkylbenzenesulphonate		No data available			
disodium trisilicate		No data available			-
Alcohols, C12-15, ethoxylated		No data available			
subtilisin		No data available			-

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium carbonate		No data available			
sodium alkylbenzenesulphonate		No data available			
disodium trisilicate		No data available			
Alcohols, C12-15, ethoxylated		No data available			
subtilisin		No data available			

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
disodium trisilicate	NOEC	348	<i>Brachydanio rerio</i>	Method not given	96 hour(s)	
Alcohols, C12-15, ethoxylated		No data available				
subtilisin		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
disodium trisilicate		No data available				
Alcohols, C12-15, ethoxylated		No data available				
subtilisin		No data available				

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available			-	
sodium alkylbenzenesulphonate		No data available				
disodium trisilicate		No data available			-	
Alcohols, C12-15, ethoxylated		No data available				
subtilisin		No data available			-	

## Terrestrial toxicity

## Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available			-	
disodium trisilicate		No data			-	

## OPTIMO LAUNDRY POWDER (FRONT LOADER)

		available				
subtilisin		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available			-	
disodium trisilicate		No data available			-	
subtilisin		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available			-	
disodium trisilicate		No data available			-	
subtilisin		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available			-	
disodium trisilicate		No data available			-	
subtilisin		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available			-	
disodium trisilicate		No data available			-	
subtilisin		No data available			-	

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	

Abiotic degradation - other processes, if available:

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					Not applicable (inorganic substance)
sodium alkylbenzenesulphonate				OECD 301B	Readily biodegradable
disodium trisilicate					Not applicable (inorganic substance)
Alcohols, C12-15, ethoxylated				OECD 301B	Readily biodegradable
subtilisin				OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

**12.3 Bioaccumulative potential**

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium carbonate	No data available		No bioaccumulation expected	

## OPTIMO LAUNDRY POWDER (FRONT LOADER)

sodium alkylbenzenesulphonate	No data available			
disodium trisilicate	No data available		Low potential for bioaccumulation	
Alcohols, C12-15, ethoxylated	No data available			
subtilisin	< 0			

## Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium carbonate	No data available			No bioaccumulation expected	
sodium alkylbenzenesulphonate	No data available				
disodium trisilicate	No data available				
Alcohols, C12-15, ethoxylated	No data available				
subtilisin	-			Not relevant, does not bioaccumulate	

## 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
sodium alkylbenzenesulphonate	No data available				
disodium trisilicate	No data available				
Alcohols, C12-15, ethoxylated	No data available				
subtilisin	No data available				

## 12.5 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

## SECTION 14: Transport information

ADG, IMO/IMDG, ICAO/IATA

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

Hazchem code: None allocated

## SECTION 15: Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule

A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classification

Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.

Inventory listing(s)

AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are exempt.

## SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

**OPTIMO LAUNDRY POWDER (FRONT LOADER)**

SDS code: MS31000283

Version: 01.0

Revision: 2018-02-02

**Full text of the H phrases mentioned in section 3:****Additional information:**

**Respirators:** In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

**Work practices - solvents:** Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

**Personal protective equipment guidelines:** The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**Health effects from exposure:** It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- LD50 - Lethal Dose, 50% / Median Lethal dose
- STOT-RE - Specific target organ toxicity (repeated exposure)
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

**End of Safety Data Sheet**